

Simple to use medium-sized walk-behind scrubber dryer

- The solution tank and recovery tank is integrated into one molded part which creates higher tank capacity. The body architecture helps to increase tank capacity for longer cleaning operations with one fill. This saves you time!
- Easy to use. Both the built in charger, reduced pushing force and ergonomic start/stop switch gives the user a better handling of the product and use less force during cleaning.
- User-friendly and simple. The cover of recovery tank is much bigger than competitive products and it makes the cleaning of the recovery tank easier.
- Easy to fill clean water tank, both brush and vacuum motors are very well protected from water splash.
- Available in both cable and battery version to give the customer the flexibility to choose the best product to cover their cleaning needs.




The AS430/510 are a simple to use medium-sized walk-behind scrubber dryers. The perfect solution for scrubbing and drying in mid-sized and heavy-traffic areas.

You will find it ideally suitable for daily indoor cleaning in middle sized areas of hotels, restaurants, schools, shopping malls and other retail outlets, as well as hospitals, metro/train stations.



Picture shown may not represent model quoted

• Standard equipment

Included accessories		Ref. no.	Min. required	AS430B-EU 17INCH SCRUBBER BATTERY 24V	AS430B-UK 17INCH SCRUBBER BATTERY 24V	AS430B-TR 17INCH SCRUBBER BATTERY 24V
	Disc Brush 430 mm					
	17BRUSH	VF90411	1	•	•	•
	Charger					
	CHARGER KIT EU VERSION	VF90271-EU	1	•		•
	CHARGER KIT UK VERSION	VF90271-UK	1		•	
	Squeegee, Blade, Skirt and Splash Guard					
	17 BLADE FRONT	VF90103	1	•	•	•
	17 BLADE REAR	VF90104	1	•	•	•
	17 SQUEEGEE KIT	VF90134	1	•	•	•
	Viper Accessory					
	20 BLADE FRONT	VF90119	0			
	20 BLADE REAR	VF90120	0			
	20 SQUEEGEE KIT	VF90135	1			
	20BRUSH	VF90417	1			






Nifisk-Advance A/S
Sognevej 25, 2605 Brøndby
Tel: +45 43238100 Fax: +45 43437700




All information provided in this document is subject to change without prior notice

Simple to use medium-sized walk-behind scrubber dryer

● Standard equipment

Included accessories		Ref. no.	Min. required	AS430B-CN 17INCH SCRUBBER BATTERY 24V	AS510B-EU 20INCH SCRUBBER BATTERY 24V	AS510B-UK 20INCH SCRUBBER BATTERY 24V
 430 mm	Disc Brush 430 mm					
	17BRUSH	VF90411	1	•		
	Charger					
	CHARGER KIT EU VERSION	VF90271-EU	1		•	
	CHARGER KIT UK VERSION	VF90271-UK	1			•
	Squeegee, Blade, Skirt and Splash Guard					
	17 BLADE FRONT	VF90103	1	•		
	17 BLADE REAR	VF90104	1	•		
	17 SQUEEGEE KIT	VF90134	1	•		
	Viper Accessory					
	20 BLADE FRONT	VF90119	0		•	•
	20 BLADE REAR	VF90120	0		•	•
	20 SQUEEGEE KIT	VF90135	1		•	•
	20BRUSH	VF90417	1		•	•




● Standard equipment

Included accessories		Ref. no.	Min. required	AS510B-TR 20INCH SCRUBBER BATTERY 24V	AS430C-EU 17INCH SCRUBBER CABLE 240V	AS430C-UK 17INCH SCRUBBER CABLE 240V
 430 mm	Disc Brush 430 mm					
	17BRUSH	VF90411	1		•	•
	Charger					
	CHARGER KIT EU VERSION	VF90271-EU	1			
	CHARGER KIT UK VERSION	VF90271-UK	1			
	Squeegee, Blade, Skirt and Splash Guard					
	17 BLADE FRONT	VF90103	1		•	•
	17 BLADE REAR	VF90104	1		•	•
	17 SQUEEGEE KIT	VF90134	1		•	•
	Viper Accessory					
	20 BLADE FRONT	VF90119	0	•		
	20 BLADE REAR	VF90120	0	•		
	20 SQUEEGEE KIT	VF90135	1			
	20BRUSH	VF90417	1			






Simple to use medium-sized walk-behind scrubber dryer

● Standard equipment

Included accessories		Ref. no.	Min. required	AS430C-TR 17INCH SCRUBBER CABLE 240V	AS510C-EU 20INCH SCRUBBER CABLE 240V	AS510C-UK 20INCH SCRUBBER CABLE 240V
	Disc Brush 430 mm					
	17BRUSH	VF90411	1			
	Charger					
	CHARGER KIT EU VERSION	VF90271-EU	1			
	CHARGER KIT UK VERSION	VF90271-UK	1			
	Squeegee, Blade, Skirt and Splash Guard					
	17 BLADE FRONT	VF90103	1	•		
	17 BLADE REAR	VF90104	1	•		
	17 SQUEEGEE KIT	VF90134	1			
	Viper Accessory					
	20 BLADE FRONT	VF90119	0		•	•
	20 BLADE REAR	VF90120	0		•	•
	20 SQUEEGEE KIT	VF90135	1		•	•
	20BRUSH	VF90417	1		•	•

● Standard equipment

Included accessories		Ref. no.	Min. required	AS510C-TR 20INCH SCRUBBER CABLE 240V
	Disc Brush 430 mm			
	17BRUSH	VF90411	1	
	Charger			
	CHARGER KIT EU VERSION	VF90271-EU	1	
	CHARGER KIT UK VERSION	VF90271-UK	1	
	Squeegee, Blade, Skirt and Splash Guard			
	17 BLADE FRONT	VF90103	1	
	17 BLADE REAR	VF90104	1	
	17 SQUEEGEE KIT	VF90134	1	
	Viper Accessory			
	20 BLADE FRONT	VF90119	0	•
	20 BLADE REAR	VF90120	0	•
	20 SQUEEGEE KIT	VF90135	1	
	20BRUSH	VF90417	1	



Simple to use medium-sized walk-behind scrubber dryer

Model	AS430B-EU 17INCH SCRUBBER BATTERY 24V	AS430B-UK 17INCH SCRUBBER BATTERY 24V	AS430B-TR 17INCH SCRUBBER BATTERY 24V
Ref. no.	50000218	50000219	50000222

PRODUCT FEATURES

Hour meter			
Cable version			
Battery version	•	•	•
Recovery emptying hoses	•	•	•
Water level indicator	•	•	•

Model	AS430B-CN 17INCH SCRUBBER BATTERY 24V	AS510B-EU 20INCH SCRUBBER BATTERY 24V	AS510B-UK 20INCH SCRUBBER BATTERY 24V
Ref. no.	50000224	50000238	50000239

PRODUCT FEATURES

Hour meter		•	•
Cable version			
Battery version	•	•	•
Recovery emptying hoses	•	•	•
Water level indicator	•	•	•

Model	AS510B-TR 20INCH SCRUBBER BATTERY 24V	AS430C-EU 17INCH SCRUBBER CABLE 240V	AS430C-UK 17INCH SCRUBBER CABLE 240V
Ref. no.	50000242	50000220	50000221

PRODUCT FEATURES

Hour meter	•		
Cable version		•	•
Battery version	•		
Recovery emptying hoses	•	•	•
Water level indicator	•		

Model	AS430C-TR 17INCH SCRUBBER CABLE 240V	AS510C-EU 20INCH SCRUBBER CABLE 240V	AS510C-UK 20INCH SCRUBBER CABLE 240V
Ref. no.	50000225	50000240	50000241

PRODUCT FEATURES

Hour meter			
Cable version	•	•	•
Battery version			



Simple to use medium-sized walk-behind scrubber dryer

Model	AS430C-TR 17INCH SCRUBBER CABLE 240V	AS510C-EU 20INCH SCRUBBER CABLE 240V	AS510C-UK 20INCH SCRUBBER CABLE 240V
Ref. no.	50000225	50000240	50000241

PRODUCT FEATURES

Recovery emptying hoses	•	•	•
Water level indicator			

Model	AS510C-TR 20INCH SCRUBBER CABLE 240V
Ref. no.	50000245

PRODUCT FEATURES

Hour meter	
Cable version	•
Battery version	
Recovery emptying hoses	•
Water level indicator	

Technical specifications	AS430B-EU 17INCH SCRUBBER BATTERY 24V	AS430B-UK 17INCH SCRUBBER BATTERY 24V	AS430B-TR 17INCH SCRUBBER BATTERY 24V
Energy Label			
Sound pressure level (dB(A))	70	70	70
Cable length (m)/ plug type	N/A	N/A	N/A
Brush motor (W)	550	550	550
Vacuum motor power (W)	350	350	350
Battery type	2X12V 85Ah/20h AGM	2X12V 85Ah/20h AGM	2X12V 85Ah/20h AGM
Vacuum (mm H2O)	1200	1200	1200
Productivity rate (m ² /h)	1100	1100	1100
Solution tank (l)	40	40	40
Recovery tank (l)	40	40	40
Squeegee width (mm)	730	730	730
Brush/pad diameter (mm)	430	430	430
Brush pressure (kg)	30 Max	30 Max	30 Max
Brush speed (RPM)	150	150	150
Dimensions LxWxH (mm)	1200x610x1170	1200x610x1170	1200x610x1170
Battery compartment size (LxWxH) (mm)	340x330x260	340x330x260	340x330x260
Max loading weight (kg)	152	152	152
Net weight (kg)	112	112	112



Simple to use medium-sized walk-behind scrubber dryer

Technical specifications	AS430B-CN 17INCH SCRUBBER BATTERY 24V	AS510B-EU 20INCH SCRUBBER BATTERY 24V	AS510B-UK 20INCH SCRUBBER BATTERY 24V
Energy Label			
Sound pressure level (dB(A))	70	70	70
Cable length (m)/ plug type	N/A	N/A	N/A
Brush motor (W)	550	650	650
Vacuum motor power (W)	350	350	350
Battery type	2X12V 85Ah/20h AGM	2X12V 105Ah/20h AGM	2X12V 105Ah/20h AGM
Vacuum (mm H2O)	1200	1200	1200
Productivity rate (m ² /h)	1100	1600	1600
Solution tank (l)	40	40	40
Recovery tank (l)	40	40	40
Squeegee width (mm)	730	790	790
Brush/pad diameter (mm)	430	510	510
Brush pressure (kg)	30 Max	35 Max	35 Max
Brush speed (RPM)	150	150	150
Dimensions LxWxH (mm)	1200x610x1170	1200x610x1170	1200x610x1170
Battery compartment size (LxWxH) (mm)	340x330x260	340x330x260	340x330x260
Max loading weight (kg)	152	168	168
Net weight (kg)	112	128	128

Technical specifications	AS510B-TR 20INCH SCRUBBER BATTERY 24V	AS430C-EU 17INCH SCRUBBER CABLE 240V	AS430C-UK 17INCH SCRUBBER CABLE 240V
Energy Label			
Sound pressure level (dB(A))	70	70	70
Cable length (m)/ plug type	N/A	20	20
Brush motor (W)	650	750	750
Vacuum motor power (W)	350	650	650
Battery type	2X12V 105Ah/20h AGM	N/A	N/A
Vacuum (mm H2O)	1200	1200	1200
Productivity rate (m ² /h)	1600	1100	1100
Solution tank (l)	40	50	50
Recovery tank (l)	40	50	50
Squeegee width (mm)	790	730	730
Brush/pad diameter (mm)	510	430	430
Brush pressure (kg)	35 Max	35 max	35 max
Brush speed (RPM)	150	160	160



Simple to use medium-sized walk-behind scrubber dryer

Technical specifications	AS510B-TR 20INCH SCRUBBER BATTERY 24V	AS430C-EU 17INCH SCRUBBER CABLE 240V	AS430C-UK 17INCH SCRUBBER CABLE 240V
Dimensions LxWxH (mm)	1200x610x1170	1200x610x1170	1200x610x1170
Battery compartment size (LxWxH) (mm)	340x330x260	N/A	N/A
Max loading weight (kg)	168	120	120
Net weight (kg)	128	70	70

Technical specifications	AS430C-TR 17INCH SCRUBBER CABLE 240V	AS510C-EU 20INCH SCRUBBER CABLE 240V	AS510C-UK 20INCH SCRUBBER CABLE 240V
Energy Label			
Sound pressure level (dB(A))	70	70	70
Cable length (m)/ plug type	20	20	20
Brush motor (W)	750	750	750
Vacuum motor power (W)	650	650	650
Battery type	N/A	N/A	N/A
Vacuum (mm H2O)	1200	1200	1200
Productivity rate (m ² /h)	1100	1600	1600
Solution tank (l)	50	50	50
Recovery tank (l)	50	50	50
Squeegee width (mm)	730	790	790
Brush/pad diameter (mm)	430	510	510
Brush pressure (kg)	35 max	38 Maz	38 Max
Brush speed (RPM)	160	160	160
Dimensions LxWxH (mm)	1200x610x1170	1200x610x1170	1200x610x1170
Battery compartment size (LxWxH) (mm)	N/A	N/A	N/A
Max loading weight (kg)	120	124	124
Net weight (kg)	70	74	74

Technical specifications	AS510C-TR 20INCH SCRUBBER CABLE 240V
Energy Label	
Sound pressure level (dB(A))	70
Cable length (m)/ plug type	20
Brush motor (W)	750
Vacuum motor power (W)	650
Battery type	N/A
Vacuum (mm H2O)	1200
Productivity rate (m ² /h)	1600
Solution tank (l)	50








Simple to use medium-sized walk-behind scrubber dryer

Technical specifications

AS510C-TR 20INCH
SCRUBBER CABLE
240V

Recovery tank (l)	50
Squeegee width (mm)	790
Brush/pad diameter (mm)	510
Brush pressure (kg)	38 Maz
Brush speed (RPM)	160
Dimensions LxWxH (mm)	1200x610x1170
Battery compartment size (LxWxH) (mm)	N/A
Max loading weight (kg)	124
Net weight (kg)	74

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	AS430B-EU 17INCH SCRUBBER BATTERY 24V	AS430B-UK 17INCH SCRUBBER BATTERY 24V	AS430B-TR 17INCH SCRUBBER BATTERY 24V
	Squeegee, Blade, Skirt and Splash Guard					
	17 BLADE FRONT	VF90103	1	●	●	●
	17 BLADE REAR	VF90104	1	●	●	●
	17 SQUEEGEE KIT	VF90134	1	●	●	●
	Viper Accessory					
	20 BLADE FRONT	VF90119	0			
	20 BLADE REAR	VF90120	0			
	20 SQUEEGEE KIT	VF90135	1			
	20BRUSH	VF90417	1			
	20INCH PAD HOLDER	VF90416	1			
	CHARGER	VF90227-CN	0			
	Disc Brush 430 mm					
	17BRUSH	VF90411	1	●	●	●
	Charger					
	CHARGER KIT EU VERSION	VF90271-EU	1	●		●
	CHARGER KIT UK VERSION	VF90271-UK	1		●	
	Pad Holder					
	17INCH PAD HOLDER	VF90428	1	○	○	○








Nifisk-Advance A/S
Sognevej 25, 2605 Brøndby
Tel: +45 43238100 Fax: +45 43437700




All information provided in this document is subject to change without prior notice

Simple to use medium-sized walk-behind scrubber dryer

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	AS430B-CN 17INCH SCRUBBER BATTERY 24V	AS510B-EU 20INCH SCRUBBER BATTERY 24V	AS510B-UK 20INCH SCRUBBER BATTERY 24V
	Squeegee, Blade, Skirt and Splash Guard					
	17 BLADE FRONT	VF90103	1	●		
	17 BLADE REAR	VF90104	1	●		
	17 SQUEEGEE KIT	VF90134	1	●		
	Viper Accessory					
	20 BLADE FRONT	VF90119	0		●	●
	20 BLADE REAR	VF90120	0		●	●
	20 SQUEEGEE KIT	VF90135	1		●	●
	20BRUSH	VF90417	1		●	●
	20INCH PAD HOLDER	VF90416	1		○	○
	CHARGER	VF90227-CN	0	○		
	Disc Brush 430 mm					
	17BRUSH	VF90411	1	●		
	Charger					
	CHARGER KIT EU VERSION	VF90271-EU	1		●	
	CHARGER KIT UK VERSION	VF90271-UK	1			●
	Pad Holder					
	17INCH PAD HOLDER	VF90428	1	○		

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment



Accessories		Ref. no.	Min. required	AS510B-TR 20INCH SCRUBBER BATTERY 24V	AS430C-EU 17INCH SCRUBBER CABLE 240V	AS430C-UK 17INCH SCRUBBER CABLE 240V
	Squeegee, Blade, Skirt and Splash Guard					
	17 BLADE FRONT	VF90103	1		●	●
	17 BLADE REAR	VF90104	1		●	●
	17 SQUEEGEE KIT	VF90134	1		●	●
	Viper Accessory					
	20 BLADE FRONT	VF90119	0	●		
	20 BLADE REAR	VF90120	0	●		
	20 SQUEEGEE KIT	VF90135	1			
	20BRUSH	VF90417	1			
	20INCH PAD HOLDER	VF90416	1			
	CHARGER	VF90227-CN	0			
	Disc Brush 430 mm					
	17BRUSH	VF90411	1		●	●








Nifisk-Advance A/S
Sognevej 25, 2605 Brøndby
Tel: +45 43238100 Fax: +45 43437700

All information provided in this document is subject to change without prior notice

Simple to use medium-sized walk-behind scrubber dryer

Accessories		Ref. no.	Min. required	AS510B-TR 20INCH SCRUBBER BATTERY 24V	AS430C-EU 17INCH SCRUBBER CABLE 240V	AS430C-UK 17INCH SCRUBBER CABLE 240V
	Charger					
	CHARGER KIT EU VERSION	VF90271-EU	1			
	CHARGER KIT UK VERSION	VF90271-UK	1			
	Pad Holder					
	17INCH PAD HOLDER	VF90428	1		○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	AS430C-TR 17INCH SCRUBBER CABLE 240V	AS510C-EU 20INCH SCRUBBER CABLE 240V	AS510C-UK 20INCH SCRUBBER CABLE 240V
	Squeegee, Blade, Skirt and Splash Guard					
	17 BLADE FRONT	VF90103	1	●		
	17 BLADE REAR	VF90104	1	●		
	17 SQUEEGEE KIT	VF90134	1			
	Viper Accessory					
	20 BLADE FRONT	VF90119	0		●	●
	20 BLADE REAR	VF90120	0		●	●
	20 SQUEEGEE KIT	VF90135	1		●	●
	20BRUSH	VF90417	1		●	●
	20INCH PAD HOLDER	VF90416	1		○	○
	CHARGER	VF90227-CN	0			
	Disc Brush 430 mm					
	17BRUSH	VF90411	1			
	Charger					
	CHARGER KIT EU VERSION	VF90271-EU	1			
	CHARGER KIT UK VERSION	VF90271-UK	1			
	Pad Holder					
	17INCH PAD HOLDER	VF90428	1			

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment




Accessories		Ref. no.	Min. required	AS510C-TR 20INCH SCRUBBER CABLE 240V
	Squeegee, Blade, Skirt and Splash Guard			
	17 BLADE FRONT	VF90103	1	
	17 BLADE REAR	VF90104	1	
	17 SQUEEGEE KIT	VF90134	1	



Nifisk-Advance A/S
Sognevej 25, 2605 Brøndby
Tel: +45 43238100 Fax: +45 43437700

All information provided in this document is subject to change without prior notice

Simple to use medium-sized walk-behind scrubber dryer

Accessories		Ref. no.	Min. required	AS510C-TR 20INCH SCRUBBER CABLE 240V
Viper Accessory				
	20 BLADE FRONT	VF90119	0	•
	20 BLADE REAR	VF90120	0	•
	20 SQUEEGEE KIT	VF90135	1	
	20BRUSH	VF90417	1	
	20INCH PAD HOLDER	VF90416	1	
	CHARGER	VF90227-CN	0	
	Disc Brush 430 mm			
430 mm	17BRUSH	VF90411	1	
	Charger			
	CHARGER KIT EU VERSION	VF90271-EU	1	
	CHARGER KIT UK VERSION	VF90271-UK	1	
	Pad Holder			
	17INCH PAD HOLDER	VF90428	1	

